Proof Point Analytical
3950 Austell Road, Austell, GA 30106
admin@proofpointanalytical.com | proofpointanalytical.com

Certificate of Analysis

TB-500 5mg PASS

Tested for: Prism Labs
prismlabs.store

COA # PPA-COA-2026-644323	**Lot Number** 644323
Accession # PPA-2026-644323	**Concentration** 5mg
Sample Matrix Lyophilized	**Method** Full QC Panel
Analysis Date 08/02/2026	**Appearance** Good
Volume 3mL	**Received** 07/28/2026

Identity
TB-500

Purity
99.15%

Scan to verify authenticity

https://www.proofpointanalytical.com/coa-lookup/?code=BIIHHEV7

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.15%	%	**PASS**
Net Content	Report Only	5.03mg	N/A	N/A
Identity (ID)	TB-500	Confirmed	-	**PASS**

Authorized Review
Lab Director

Issued: 08/02/2026 | Access Code: BIIHHEV7

Proof Point Analytical
3950 Austell Road, Austell, GA 30106
admin@proofpointanalytical.com | proofpointanalytical.com

Certificate of Analysis

TB-500 5mg PASS

COA #
PPA-COA-2026-644323

Lot Number
644323

Accession #
PPA-2026-644323

Analysis Date
08/02/2026

Access Code
BIIHHEV7

Verify
https://www.proofpointanalytical.com/coa-lookup/?code=BIIHHEV7

HPLC Conformity Testing Results

Sample	Purity	NPC	ID Result	Status
Dedicated V0	99.03%	5.05 mg	Confirmed	**PASS**
Conformity V1	99.15%	5.03 mg	Confirmed	**PASS**
Mean	99.09%	5.04 mg	-	-
Std Dev	0.0600%	0.0100 mg	-	-

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	**PASS**
Chromium (Cr)	NMT 10 ppm	Not Detected	**PASS**
Mercury (Hg)	NMT 1.5 ppm	Not Detected	**PASS**
Lead (Pb)	NMT 1 ppm	Not Detected	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	**PASS**

Proof Point Analytical
3950 Austell Road, Austell, GA 30106
admin@proofpointanalytical.com | proofpointanalytical.com

Certificate of Analysis

TB-500 5mg PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative screening value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies across product types.

Notes & Methodology

1. Methods: Purity & Quant (HPLC), identity confirmation, heavy metals screening, sterility PCR, and endotoxin review as applicable.
2. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks.
3. Identity confirmed by chromatographic retention time comparison and analytical review against expected product identity.
4. Elemental impurities analyzed by ICP-MS screening methodology using internal quality limits for research-use materials.
5. Results relate only to the item tested and are intended for research-use-only materials.

Access Code: BIIHHEV7

Issued: 08/02/2026

Verify COA